

Table 1 Rehabilitation menu for dementia

Therapy	Rehabilitation menu	Frequency	Therapy length
Physical therapy	Massed calisthenics	2 / W	1 hr
Occupational therapy	Group task for whickerwork or leatherwork	1 / W	1 hr
	Creative activity (drawing, cut out picture , knitting, and flower arrangement)	1 / W	2 hr
Speech therapy	Chorus music	1 / W	1 hr
	Watching theatrical performances	2 / W	2 hr

Table 2 Baseline demographic and clinical characteristics

	Galantamine only	Glantamine + Rehabilitation	<i>p</i>
Number of patients	45	41	
Age	78.8 ± 7.3	79.0 ± 7.8	0.98
Gender (male/female)	14 / 31	16 / 25	0.44
Vascular risk factors (-/+)			
Hypertension	27 / 18	19 / 22	0.29
Hyperlipidemia	34 / 11	32 / 9	0.98
Diabetic mellitus	41 / 4	32 / 9	0.16
Dose of galantamine (mg/day)			
3 M	16.0 ± 4.1	14.5 ± 4.5	0.48
6 M	17.7 ± 4.3	18.4 ± 5.3	0.46
12 M	19.1 ± 5.6	19.0 ± 6.4	0.93
MMSE	20.2 ± 4.3	18.7 ± 4.5	0.16
FAB	13.3 ± 3.9	11.9 ± 4.2	0.16
GDS	5.3 ± 4.4	6.4 ± 3.5	0.49
AS	15.0 ± 8.2	22.5 ± 9.7	0.11
ABS	4.2 ± 2.6	5.3 ± 6.1	0.64

Data are presented as mean ± SD. *P*- values were calculated using the χ^2 test and Mann-Whitney test. ABS, Abe's BPSD score; AS, apathy scale; FAB, frontal assessment battery; GDS, geriatric depression scale; MMSE, mini-mental state examination.



