Element SHARE items

S (ENV): (Supportive environment)

Preventing a telephone from ringing

Attending to the patient politely

Taking sufficient time

Setting up a supportive environment for the interview

Not becoming irritated with the patient

Looking in the patient's eyes and face

H (HOW): (How to deliver the bad news)

Conveying that family members may attend

Using actual images and test data

Confirming the patient's recognition of the disease

Answering the patient's questions fully

Confirming the patient's understanding of technical terms

Speaking in a forthright, easily understood manner

Checking to see whether the pace of communication is appropriate

Checking to see that the patient understands the message

Encouraging the patient to ask questions

Summarizing the main point of the message

A (ADD): (Additional information)

Providing information on services and support

Discussing the patient's everyday life and work in the future

RE (EMP): (Reassurance and Emotional support)

Using words that soothe the patient

Explaining what the patient can hope for

Assuming responsibility for the patient's care until the end

Choosing words that support the patient's feelings

Considering not only the patient but also the family

Accepting the patient's expression of emotion

Explaining in a way that incorporates hope

Table 2.

Characteristics	Mean±SD	Median (Range)	n (%)
Age (years) ^a	37.0±7.7	36 (23–69)	
Clinical experience (years) ^b	13.2±7.3	11 (0–37)	
Sex (male) ^c			746 (55.5%)
Occupation ^d			
Physical therapist			790 (58.9%)
Occupational therapist			405 (30.2%)
Speech therapist			147 (11.0%)
Affiliated with cancer medical treatment cooperation-based hospitale			
			673 (51.0%)
Number of patients treated in a da	y^f		
	12.2±4.3	12.0 (0-50)	
Number of cancer patients treated in a day ^g			
	3.6±3.4	2.5 (0–24)	
AQ-S score	65.0±7.6	65 (37–92)	
Confidence in communication skills (SHARE score)			
	175.4±30.7	177 (59–250)	
Difficulty in communication (0–100 numerical rating scale score)			
	63.5±22.4	70 (0–100)	
Distribution of difficulty in communication (0–100 numerical rating scale score)			
0–30			181 (13.5%)
40–60			446 (33.2%)
70–100			716 (53.3%)
GHQ-12 score	4.6±2.6	5 (0-12)	
Number of patients with GHQ-12	score ≥ 4		890 (66.3%)

 $n = 1343,\ ^a n = 1338,\ ^b n = 1336,\ ^c n = 1341,\ ^d n = 1342,\ ^e n = 1319,\ ^f n = 1329,\ ^g n = 1312$