

## **Pictures in Clinical Medicine**

Crowned Dens Syndrome Associated with hyperuricemia

Yuusaku Sugihara, MD, PhD

Hiroko Ogawa, MD, PhD

Fumio Otsuka, MD, PhD

Department of General Medicine, Okayama University Graduate School of  
Medicine, Dentistry and Pharmaceutical Sciences, 2-5-1 Shikata-cho, Kita-ku,  
Okayama, Japan 700-8558

Corresponding Author information

Yuusaku Sugihara, MD, PhD

Email: [y.sugi117@gmail.com](mailto:y.sugi117@gmail.com)

Key words: Crowned dense syndrome, Hyperuricemia

A 71-year-old man presented to the hospital clinic with a 1-day history of cervical pain. He was treated hyperuricemia for 30 years. He had very limited cervical range of motion because of the pain, but there was no redness, warmth, or swelling of the neck. The laboratory data were consistent with a C-reactive protein level of 2.15 mg/dL, uric acid 11.4 mg/dL. Cervical computed tomography demonstrated calcification of the transverse ligament of the atlas (Panel yellow arrow) and he was diagnosed as having crowned dens syndrome. This is a rare disease characterized by the presence of calcification on the dens<sup>1)</sup>. The chondroid cell in transverse ligament around the odontoid process causes the disease<sup>2)</sup>. The risk factors of this disease include age, joint trauma, serious illness, hemochromatosis, electrolyte abnormalities, and endocrine disorders. Treatment was initiated with an oral non-steroidal anti-inflammatory drug. On day 8, his symptoms of cervical pain disappeared.

1. Bouvet JP, le Parc JM, Michalski B, Benlahrache C, Auquier L. Acute neck pain due to calcifications surrounding the odontoid process: the crowned dens syndrome. *Arthritis Rheum.* 1985; 28:1417-20.

2. Ryota Tamura, Satoshi Takahashi, Dai Kamamoto, Tomo Horikoshi, and Kazunari Yoshida. Crowned Dens Syndrome Occurred in a Patient after Simple Drainage for Chronic Subdural Hematoma: A Case Report. *NMC Case Report Journal* 2017; 4: 15–17

